

HOME COLLECTION





Technika has helped Australian families make lasting memories for over 25 years. Every appliance we make is designed right here in Australia to perfectly meet the needs of the Australian homeowner. With a stunning aesthetic inspired by the great Italian designers and technology from the world's most innovative manufacturers, Technika appliances are the gold standard. Surround yourself with the sophistication and style of our most popular range and join Australia's leading builders in choosing Technika for your home.



INDEX

BUILT-IN OVENS

4 - 8

UPRIGHT COOKERS

9 - 13

COOKTOPS

14 - 19

RANGEHOODS

20 - 28

MICROWAVES

29 - 30

DISHWASHERS

31 - 33

LAUNDRY

34 - 35


INSTALLATION DRAWINGS

36 - 48

WARRANTY

49

COOKING FUNCTIONS



any heat to defrost frozen foods quickly and safely.

PyroClean A self-cleaning

AirFry

.....

A self-cleaning function that uses a high temperature to reduce food residue to ash.

AIRFRY

Offering a convenient, counter-saving option that promotes healthier eating eliminating the need for extra oil and extra appliances in the kitchen.

INTENSIVE BAKE

Combining the fan forced & top heat functions to evenly distribute heat around the oven, whilst also directing radiant heat from the top element for extra crispy results.

Please Note: Not all functions are relevant to each model

HALF GRILL

ECO

ECO

Directs radiant heat from the powerful

Excellent for those cooking in smaller

proportions with its energy saving capabilities.

upper element onto the food.

BUILT-IN OVEN FEATURES AND BENEFITS LARGE COOKING CAPACITY TELESCOPIC SHELVES Strong enough to hold even the heaviest cookware, Our large capacity ovens allow you to cater for even our telescopic shelves effortlessly glide in and out for the biggest of dinner parties. Completely adjustable shelving gives you the flexibility to accommodate all easy loading and checking of your meal's progress. types of cookware with ease. TRIPLE GLAZED DOOR EASY TO CLEAN Three layers of glass keeps heat in so your food Removable doors, side racks, and easy clean cooks quickly and efficiently. Triple glazing also limits interiors allow food particles to be easily wiped the amount of heat that can escape, so the door away. For best results, wipe away any spills with remains cooler to touch. a damp cloth once the oven has cooled down. * NB - Not all features on this page are on all models. Please refer to the product user manual for the features that apply to your model.



12.30



TO605TBX

60cm 5 Function Built-In Oven

Key Features

Stainless steel + black glass finish

85 litre capacity 5 functions

Knob controls

Programmable LED touch timer

5 shelf positions

Oven light

Closed door grilling

Removable triple glazed door

Soft-close hinges 2x wire shelves

1x baking tray

1x grill insert

10A electrical connection













TO610TBX

60cm 10 Function Built-In Oven

Key Features

Dark stainless steel + black glass finish

85 litre capacity

10 functions Knob controls

Programmable LED touch timer

5 shelf positions

Oven light

Soft-close hinges

Closed door grilling

1x full extension telescopic rail Premium braided oven seal Removable triple glazed door

2x wire shelves 1x baking tray

1x grill insert 15A electrical connection





B

S



S









TO615AFBX

60cm 15 Function Built-In Oven

Key Features

Dark stainless steel

+ black glass finish

85 litre capacity

15 functions including Air Fry + Steam Clean

Full touch interface

with smart digital display

Programmable LED touch timer

5 shelf positions

Oven light

Soft-close hinges Closed door grilling + minute minder Removable triple glazed door Child lock

Programmable timer

1x full extension telescopic rail

Premium braided oven seal

2x wire shelves

1x baking tray

1x grill insert

1x Air fry basket

































TGP0611ABK

60cm 11 Function Built-In Oven

Key Features

Dark stainless steel 1x full extension telescopic rail + black glass finish Premium braided oven seal 85 litre capacity Removable triple glazed door 11 functions including 2x wire shelves Pyro Clean + Air Fry 1x baking tray Central electronic dial 1x grill insert + touch control 1x Air fry basket Programmable LED touch timer Durable easy-clean 5 shelf positions blue enamel interior



Soft-close hinges



















⑻



15A electrical connection



TSO605TX-R

60cm 5 Function Side Opening Built-In Oven

Key Features

Dark stainless steel Side opening door (right-hand hinge)
67 litre capacity 1x full extension telescopic rail 5 functions Removable triple glazed door

Knob control 2x wire shelves
Programmable LED touch timer 1x baking tray

5 shelf positions 1x grill insert
Oven light 10A electrical connection

Closed door grilling















TSO605TX-L

60cm 5 Function Side Opening Built-In Oven

Key Features

Dark stainless steel + black glass finish 67 litre capacity 5 functions

Knob control
Programmable LED touch timer

Oven light Closed door grilling

5 shelf positions

Side opening door (left-hand hinge)

1x full extension telescopic rail Removable triple glazed door

2x wire shelves 1x baking tray 1x grill insert















TTDT910-6

90cm 10 Function Built-In Oven

Key Features

Dark stainless steel + black glass finish 110 litre capacity 10 functions Full touch interface with smart digital display 4 shelf positions

Twin oven lights
Closed door grilling

s finish 1x full extension telescopic rail

Removable triple glazed door

Child lock

2x wire shelves

Program memory

1x baking tray 1x grill insert

15A electrical connection

























T948SS-6

90cm 10 Function Built-In Oven

Key Features

Stainless steel + black glass finish

110 litre capacity 10 functions

Full touch interface with smart digital display

4 shelf positions Twin oven lights

Closed door grilling

Program memory

1x full extension telescopic rail Removable triple glazed door

Child lock
2x wire shelves
1x baking tray
1x grill insert























UPRIGHT COOKER FEATURES AND BENEFITS

TWIN CIRCULATING FANS

This feature allows a greater volume of heat and air to be distributed around the oven, allowing faster heat up times and more even heat distribution. This ultimately means better cooking results - especially when baking.

LARGE VIEWING WINDOW

Easily check the progress of your meal without having to open the door and let hot air escape.

EASY TO CLEAN

Removable doors, side racks and easy clean interiors allow food particles to be easily wiped away.

TRIPLE GLAZED DOOR

Three layers of glass keeps heat in so your food cooks quickly and efficiently. Triple glazing also limits the amount of heat that can escape, so the door remains cooler to touch. This is a handy safety feature for little fingers.

STORAGE COMPARTMENT

Store extra cookware in the storage compartment to free up space in other areas of your kitchen.



T640TE8

60cm 8 Function Dual Fuel Upright Cooker

Key Features

Stainless steel finish

56 litre capacity

8 functions

6 button programmable digital

4 gas burners including wok Removable cast iron trivets

Wok adaptor

Flame failure device

Splashback

Single oven fan

Close door grilling

Single oven light













Available with LPG conversion 15A electrical connection





GHE09TDSS-4

90cm 8 Function Dual Fuel Upright Cooker

Key Features

Stainless steel finish

56 litre capacity

8 functions

6 button programmable digital

5 gas burners

Centre located wok burner

Removable cast iron trivets

Wok adaptor

Flame failure device

Splashback

Twin oven fans

Close door grilling

Single oven light Easy clean interior

Removable triple glazed door

Removable side racks

Large viewing window

Automatic safety cut off

Cavity cooling system

Automatic ignition

Removable inner

glass door panels

Available with LPG conversion

15A electrical connection






(L)









TU950TME8

90cm 8 Function Dual Fuel Upright Cooker

Key Features

Stainless steel finish

105 litre capacity

8 functions

6 button programmable digital

clock

5 gas burners

Centre located wok burner

Removable cast iron trivets

Wok adaptor

Flame failure device

Splashback

Twin oven fans

Close door grilling

Twin oven lights

Easy clean interior

Removable triple glazed door

Removable side racks

Large viewing window

Storage compartment

Automatic safety cut off

Cavity cooling system

Automatic ignition

Removable inner

glass door panels

Available with LPG conversion








(L)











TU950TLE8

90cm 8 Function Dual Fuel Upright Cooker

Key Features

Stainless steel finish

105 litre capacity

8 functions

6 button programmable digital

clock

5 gas burners

Left hand side located wok burner

Removable cast iron trivets

Wok adaptor

Flame failure device

Splashback

Twin oven fans

Close door grilling

Twin oven lights

Easy clean interior

Removable triple glazed door

Removable side racks

Large viewing window

Storage compartment

Automatic safety cut off

Cavity cooling system

Automatic ignition

Removable inner

glass door panels

Available with LPG conversion 15A electrical connection
















TU950TME8BG

90cm 8 Function Dual Fuel Upright Cooker

Key Features

Stainless steel + black glass finish

105 litre capacity

8 functions

6 button programmable digital

clock

5 gas burners

Centre located wok burner

Removable cast iron trivets

Wok adaptor

Flame failure device

Splashback

Twin oven fans

Close door grilling

Twin oven lights

Easy clean interior

Removable triple glazed door

Removable side racks

Large viewing window

Storage compartment

Automatic safety cut off Cavity cooling system

Automatic ignition

Removable inner

glass door panels

Available with LPG conversion 15A electrical connection






(L)











TU950TLE8G

90cm 8 Function Dual Fuel Upright Cooker

Key Features

Stainless steel + black glass finish

105 litre capacity

8 functions

6 button programmable digital

clock

5 gas burners

Left hand side located wok burner

Removable cast iron trivets

Wok adaptor

Flame failure device

Splashback

Twin oven fans

Close door grilling

Twin oven lights

Easy clean interior

Removable triple glazed door

Removable side racks

Large viewing window

Storage compartment

Automatic safety cut off Cavity cooling system

Automatic ignition

Removable inner

glass door panels

Available with LPG conversion 15A electrical connection







**









TEG95TBK

90cm 8 Function Dual Fuel Upright Cooker

Key Features

Matte black + stainless steel finish

105 litre capacity

8 functions

5 gas burners

3 wok burners + wok ring

Programmable LED touch timer

Removable cast iron trivets

Flame failure device

Splashback

Twin oven fans

Close door grilling

Twin oven lights

Easy clean interior

Removable triple glazed door Removable side racks

1x full extension telescopic rail

Large viewing window

Storage compartment

Automatic safety cut off

Cavity cooling system

Automatic ignition

Removable inner

glass door panels

Available with LPG conversion

15A electrical connection






B











CERHE09PSS-2

90cm 8 Function Electric Upright Cooker

Key Features

Stainless steel finish

105 litre capacity

8 functions

5 zone ceramic cooktop

+ 2 extendable cooking zones

6 button programmable

digital clock Splashback

Twin oven fans

Close door grilling Twin oven lights

Easy clean interior

Removable triple glazed door

Removable side racks

Large viewing window

Storage compartment

Automatic safety cut off

Cavity cooling system

Available with LPG conversion














COOKTOPFEATURES AND BENEFITS

EFFICIENCY AND SPEED

Our Induction cooktops transfer heat directly to cookware using state of the art technology. This means that heat is instant, precise, and only heats your cookware - not surrounding areas, making it extremely energy efficient and safe.

SAFETY

On our electric cooktops the child lock allows the control panel to be locked so programs can't be altered. On our gas cooktops the flame failure device shuts off the gas supply should the flame be extinguished for any reason.

EASY TO CLEAN

A smooth finish, removable control knobs and trivets allow for easy cleaning. For best results wipe away any spills with a damp cloth from the surface once the cooktop has cooled down.

SENSOR TOUCH CONTROLS

Simply press the sensor touch control until the desired heat level is achieved. From a low simmer to a high boiling point, any level of heat is easily obtained.

EXTENDABLE ZONES

Extendable zones on selected ceramic cooktops join together to become one large zone, making them perfect for large pans. When joined together the individual zones maintain the same temperature so the same level of heat is obtained across the larger zone.



H320SXFFPRO-2

30cm Gas Cooktop

Key Features

Stainless steel finish 2 gas burners Removable cast iron trivet Electronic ignition Front located removable control knobs Flame failure device Available with LPG conversion 10A electrical connection



H640STXFPRO-3

60cm Gas Cooktop

Key Features

Stainless steel finish 4 gas burners Left hand side triple ring wok burner Wok adaptor Heavy duty removable cast iron trivets Electronic ignition
Front located removable control knobs
One piece hob
Flame failure device
Available with LPG conversion
10A electrical connection



TGC6GWFSS

60cm Gas Cooktop

Key Features

Stainless steel finish 4 gas burners Left hand side triple ring wok burner Wok adaptor Heavy duty removable cast iron trivets Electronic ignition
Front located removable control knobs
One piece hob
Flame failure device
Available with LPG conversion
10A electrical connection



TGC6GWBGFS

60cm Gas Cooktop

Key Features

Black glass + stainless steel finish 4 gas burners Left hand side triple ring wok burner Wok adaptor Heavy duty removable cast iron trivets Electronic ignition
Front located removable
control knobs
One piece hob
Flame failure device
Available with LPG conversion
10A electrical connection



TGC9GLWFSS

90cm Gas Cooktop

Key Features

Stainless steel finish
5 gas burners
Side located triple ring wok burner
Wok adapter
Heavy duty removable
cast iron trivets
Electronic ignition

Front located removable control knobs One piece hob Flame failure device Available with LPG conversion 10A electrical connection



H950SLTXFPRO

90cm Gas Cooktop

Key Features

Stainless steel finish
5 gas burners
Side located triple ring wok burner
Wok adapter
Removable cast iron trivets
Electronic ignition

Front located removable control knobs One piece hob Flame failure device Available with LPG conversion 10A electrical connection



H950STXFPRO

90cm Gas Cooktop

Key Features

Stainless steel finish
5 gas burners
Centre located triple
ring wok burner
Wok adapter
Removable cast iron trivets
Electronic ignition

Front located removable control knobs One piece hob Flame failure device Available with LPG conversion 10A electrical connection



TGC9GLWBGFS

90cm Gas Cooktop

Key Features

Black glass + stainless steel finish 5 gas burners Side located triple ring wok burner Wok adapter Heavy duty removable cast iron trivets Electronic ignition Front located removable control knobs One piece hob Flame failure device Available with LPG conversion 10A electrical connection




H950STBGFPRO

90cm Gas Cooktop

Key Features

Black glass finish
5 gas burners
Centre located triple
ring wok burner
Wok adapter
Removable cast iron trivets
Electronic ignition

Front located removable control knobs One piece hob Flame failure device Available with LPG conversion 10A electrical connection




2RSS-5

30cm Ceramic Cooktop

Key Features

Premium Schott-Ceran glass 2 cooking zones 9 power levels per zone Touch control 99 minute timer Child lock
Automatic safety switch-off
Residual heat indicators
3000W total power
12.5amp electrical connection



CFM641-5

60cm Ceramic Cooktop

Key Features

Premium Schott-Ceran glass 4 cooking zones 9 power levels per zone Black rotary control knobs Touch control on / off key Automatic safety switch-off Residual heat indicators Frameless bevelled edges 6000W total power 25amp electrical connection



CFE641-5

60cm Ceramic Cooktop

Key Features

Premium Schott-Ceran glass 4 cooking zones +1 extendable zone 9 power levels per zone Touch control 99 minute timer Child lock
Automatic safety switch-off
Residual heat indicators
Frameless bevelled edges
6400W total power
26amp electrical connection



TGC6IND-5

60cm Induction Cooktop

Key Features

Premium Schott-Ceran glass
4 cooking zones
+ 1 smart flexi-zone
9 power levels + boost per zone
Slide touch control
Left & right cooking
segments with separate
on / off & function controls

Automatic cooking timer
Child lock
Pan sensors
Residual heat indicators
On / off indicator
Frameless bevelled edges
7200W total power
30amp electrical connection



95HTSS-5

90cm Ceramic Cooktop

Key Features

Premium Schott-Ceran glass 5 cooking zones + 2 extendable zones 9 power levels per zone Slide touch control Sensor touch on / off key 99 minute timer Keep warm + pause settings Automatic cooking timer
Child lock
Residual heat indicators
On / off indicator
Frameless bevelled edges
9000W total power
37.5amp electrical connection



TGC9IND-5

90cm Induction Cooktop

Key Features

Premium Schott-Ceran glass
5 cooking zones including 2 smart
flexi-zones + 1 extra large zones
9 power levels + boost per zone
Premium Schott-Ceran glass
Slide touch control
3 cooking segments with separate
on / off and function controls

Automatic cooking timer
Child lock
Pan sensors
Residual heat indicators
On / off indicator
Frameless bevelled edges
10800W total power
45amp electrical connection





TSSUR52S*

52cm Single Speed Concealed Undermount Rangehood

Key Features

Stainless steel finish 700m³/hr airflow Single speed 2x LED lamps 1x durable honeycomb filter

Ducted operation 10A electrical connection*



TUR52S

52cm Concealed Undermount Rangehood

Key Features

Stainless steel finish
Push button electronic control
700m³/hr airflow
3 speed

2x LED lamps

1x durable honeycomb filter Ducted operation 10A electrical connection



TGU52BK

52cm Undermount Rangehood

Key Features

Black glass finish2x 2 watt LED strip lightsTouch control1x aluminium mesh filter1000m³/hr airflowDucted operation3 speed10A electrical connection



TUR70S

70cm Concealed Undermount Rangehood

Key Features

Stainless steel finish Push button electronic control 700m³/hr airflow 3 speed 2x LED lamps
1x durable honeycomb filter
Ducted operation
10A electrical connection



TUR90S

90cm Concealed Undermount Rangehood

Key Features

Stainless steel finish
Push button electronic control
700m³/hr airflow
3 speed

2x LED lamps
1x durable honeycomb filter
Ducted operation
10A electrical connection



TGU90BK

90cm Undermount Rangehood

Key Features

Black glass finish Touch control 1000m³/hr airflow 3 speed 2x 2 watt LED strip lights 1x aluminium mesh filter Ducted operation 10A electrical connection



SL10160I-4

60cm Slideout Rangehood

Key Features

Stainless steel finish1x 40 watt lampsSwitch control2x aluminium filters250m³/hr airflowDucted operation2 speed10A electrical connection



SL20260ISS-3

60cm Slideout Rangehood

Key Features

Stainless steel finish Switch control 370m³/hr airflow 2 speed Twin motor 2x 40 watt lamps 2x aluminium filters Ducted operation 10A electrical connection



SREC01601-2

60cm Recirculating Slideout Rangehood

Key Features

Stainless steel finish2x 40 watt lampsSwitch control2x aluminium filters250m³/hr airflowRecirculated operation2 speed10A electrical connection



SL10190ISS-4

90cm Slideout Rangehood

Key Features

Stainless steel finish1x 40 watt lampSwitch control2x aluminium filters250m³/hr airflowDucted operation2 speed10A electrical connection



SL10290ISS-3

90cm Slideout Rangehood

Key Features

Stainless steel finish Switch control 370m³/hr airflow 2 speed Twin motor 2x 40 watt lamps 2x aluminium filters Ducted operation 10A electrical connection



SREC0190SS-2

90cm Recirculating Slideout Rangehood

Key Features

Stainless steel finish2x 40 watt lampsSwitch control2x aluminium filters250m³/hr airflowRecirculated operation2 speed10A electrical connection



CHEM52C6S-5

60cm Canopy Rangehood

Key Features

Stainless steel finish
Electronic push button control
760m³/hr airflow
4 speed
Timer

2x LED lamps
2x aluminium filters
Ducted operation
10A electrical connection



BG96A6-5

60cm Curved Glass Canopy Rangehood

Key Features

Stainless steel + glass finish Electronic push button control 760m³/hr airflow 4 speed Timer 2x LED lamps
1x aluminium filters
Ducted operation
10A electrical connection



FHEE22A6S-5

60cm Glass Deluxe Canopy Rangehood

Key Features

Stainless steel + black glass finish Touch & slide control 1000m³/hr airflow 4 speed Timer 2x LED lamps 2x stainless steel baffle filters Ducted operation 10A electrical connection



CHEM52C9S-5

90cm Canopy Rangehood

Key Features

Stainless steel finish Electronic push button control 760m³/hr airflow 4 speed Timer 2x LED lamps 3x aluminium filters Ducted operation 10A electrical connection



CHEM52C9CL-5

90cm Short Flue* Canopy Rangehood

Key Features

Stainless steel finish Electronic push button control 760m³/hr airflow 4 speed Timer 2x LED lamps
3x aluminium filters
Ducted operation
10A electrical connection



CHEM52TLX

90cm Deluxe Canopy Rangehood

Key Features

Stainless steel finish Touch & slide control 1000m³/hr airflow 4 speed Timer 2x LED lamps 3x stainless steel baffle filters Ducted operation 10A electrical connection

^{*}For installations with bulkheads or limited ceiling height.



FHEE22A9S-5

90cm Canopy Rangehood

Key Features

Stainless steel finish Touch & slide control 1000m³/hr airflow 4 speed Timer 2x LED lamps
3x aluminium filters
Ducted operation
10A electrical connection



FHEE26A9S-5

90cm Glass Canopy Rangehood

Key Features

Stainless steel + black glass finish Touch & slide control 1000m³/hr airflow 4 speed Timer 2x LED lamps
3x aluminium filters
Ducted operation
10A electrical connection



FHEE229SC9S-5

90cm Glass Deluxe Canopy Rangehood

Key Features

Stainless steel + black glass finish Touch & slide control 1000m³/hr airflow 4 speed Timer 2x LED lamps
3x stainless steel baffle filters
Ducted operation
10A electrical connection



FHEE91A9S-5

90cm Curved Glass Deluxe Canopy Rangehood

Key Features

Stainless steel + glass finish Touch & slide control 1000m³/hr airflow 4 speed Timer 2x LED lamps 1x stainless steel baffle filters Ducted operation 10A electrical connection



ICF9BLS*

90cm Flat Island Canopy Rangehood

Key Features

Stainless steel + black glass finish4x 3 watt lampsTouch control3x stainless steel baffle filters1000m³/hr airflowDucted operation3 speed10A electrical connection



TAR1200S


120cm Alfresco BBQ Rangehood

Key Features

High quality grade stainless steel finish Electronic push button control 2000m³/hr airflow 3 speed

Timer
4x LED lamps
8x stainless steel baffle filters
10A electrical connection

Twin motors





WD905-2

28L Integrated Microwave

Key Features

Stainless steel cavity & trim
28 litre capacity
8 auto cooking menus
5 power levels
Digital control
Push-in rotary control knob
White LED display

Speed cooking
Multi-stage cooking function
30 second quick start
Defrost (by weight / time)
95 minute kitchen timer
Child safety lock
900W total power



BD28MBK*

28L Integrated Microwave

Key Features

Black acrylic with black glass door Stainless steel interior finish 28 litre capacity 8 auto cooking menus 5 power levels Digital control Push-in rotary control knob White LED display Speed cooking Multi-stage cooking function 30 second quick start Defrost (by weight / time) 95 minute kitchen timer Child safety lock 900W total power

DISHWASHERFEATURES AND BENEFITS

LARGE CAPACITY

With up to 14 place settings and a height adjustable upper basket, our dishwashers can easily accommodate large plates or tall wine glasses.

CONVENIENCE

The LED display tells you everything you need to know about your cycle so you'll always be fully informed. On certain models you can also delay the cycle for up to 24 hours, which means your dishwasher can be ready to unload when you are home.

WIDE CHOICE OF PROGRAMS

With up to 8 wash programs and a variety of additional functions including extra dry, delay start and half load, there is a cycle to suit every need.

INSTALLATION

With models featuring Freestanding, Fully-Integrated or Bench-top installation, there is an option to suit every kitchen.



TEBTDWS-5

55cm Compact Dishwasher

Key Features

Stainless steel finish 6 place setting + cutlery basket 6 washing programs 2 / 4 / 6 / 8 hour delay start Electronic push button controls LED display Overflow protection Rinse aid indicator 2.5 start energy rating 3.5 star WELS rating, (per 7.4 litre wash) 10A electrical connection



TDX6SS-6

60cm Freestanding Dishwasher

Key Features

Stainless steel finish

14 place settings

6 washing programs

+ 2 auxiliary functions

3 / 6 / 9 hour delay start

Electronic push button controls

LED indicator lights

Extra dry function

Variable position cutlery basket

Easy-lift upper basket

Child lock
Foldable bottom plate racks
Half load wash function
Anti flood protection
49dB noise level
3 star energy rating
4.5 star WELS rating,
(per 12.5 litre wash)
10A electrical connection



TDX7SS-6

60cm Freestanding Dishwasher

Key Features

Stainless steel finish
14 place settings
7 washing programs
+ 3 auxiliary functions
1 - 24 hour delay start
Electronic push button controls
LED display
Extra dry function
Slideout third layer cutlery try
Easy-lift upper basket

Foldable bottom plate racks
Half load wash function
Child lock
Anti flood protection
49dB noise level
3.5 star energy rating
4.5 star WELS rating,
(per 12.5 litre wash)
10A electrical connection



TDX4INT-5

45cm Integrated Dishwasher

Key Features

Stainless steel finish
9 place settings
6 washing programs
+ 2 auxiliary functions
3 / 6 / 9 hour delay start
Electronic push button controls
LED indicator lights
Extra dry function
Variable position cutlery basket

Easy-lift upper basket

Child lock
Foldable bottom plate racks
Half load wash function
Anti flood protection
49dB noise level
3 star energy rating
4 star WELS rating,
(per 9.4 litre wash)
10A electrical connection



TDX8SS-6


60cm Fully Integrated* Dishwasher

Key Features

Stainless steel finish
14 place settings
8 washing programs
+ 1 auxiliary function
1 - 24 hour delay start
Electronic push button controls
LED display
Extra dry function
Slideout third layer cutlery try

Foldable bottom plate racks Child lock Anti flood protection 49dB noise level 3.5 star energy rating 4.5 star WELS rating, (per 12 litre wash) 10A electrical connection

*Does not include door panel





TFL7W

7kg Front Load Washing Machine

Key Features

White finish
7kg washing capacity
15 wash programs
Spin speeds (RPM):
1200 - 1000 - 800 600 - Rinse Hold
Temperature settings:
20 - 30 - 40 - 60 - 90
Quick 14min wash program

LED display
Fast+ function
Anti-crease function
1 - 24 hour delay start
Child lock & pause mode
3.5 star energy rating
4 star WELS rating
Stacking kit model no. ESK
(optional)



TCD7W

7kg Front Load Condenser Dryer

Key Features

White finish
7kg drying capacity
15 drying programs
Auto-sensing drying
LED progress indicators
Anti-crease function

1 - 24 hour delay start
Child lock
2 star energy rating
Plumbed or tank drainage option
Stacking kit model no. ESK
(optional)




TVD7U

7kg Vented Dryer

Key Features


White finish
7kg drying capacity
LED indicators
180° door opening
Anti wrinkle technology
Delay start option
Child lock


Pause feature
Large viewing window
Front air vent
Lint filter display
2 star energy rating
10A electrical connection



BUILT-IN OVENS

60cm Models





Model	Pa	age
TO605TX	5 Function, Stainless Steel + Black Glass	6
TO610TBX	10 Function, Dark Stainless Steel + Black Glass	6
TO615AFBX	15 Function, Dark Stainless Steel + Black Glass	6
TGPO611ABK	11 Function, Dark Stainless Steel + Black Glass	7

Model	P	age
TSO605TX-R TSO605TX-L	5 Function, Dark Stainless Steel + Black Glass 5 Function, Dark Stainless Steel + Black Glass	7


Dimensions (W x H x D)

Product 595 x 595 x 542mm Cut-out 597 x 596 x 543mm

Dimensions (W x H x D)

Product 595 x 595 x 567mm Cut-out 597 x 596 x 568mm


90cm Models



Pi	age
10 Function, Dark Stainless Steel + Black Glass	8
10 Function, Stainless Steel + Black Glass	8
H x D)	
899 x 480 x 550mm	
900 x 482 x 570mm	
	10 Function, Dark Stainless Steel + Black Glass 10 Function, Stainless Steel + Black Glass H x D) 899 x 480 x 550mm

UPRIGHT COOKERS

60cm Models




Model		Page
T640TE8	8 Function, Stainless Steel	10

Dimensions (W x H x D)

Product 600 x 900* x 600mm Cut-out 602 x 900* x 600mm


90cm Models



Model Numbers		Page
GHE09TDSS-4	8 Function, Stainless Steel	10

Dimensions (W x H x D)

Product $900 \times 765^* \times 600$ mm Cut-out $902 \times NA \times 600$ mm



Model		Page
TU950TME8	8 Function, Stainless Steel	11
TU950TLE8	8 Function, Stainless Steel	11
TU950TME8BG	8 Function, Stainless Steel + Black Glass	12
TU950TLE8G	8 Function, Stainless Steel + Black Glass	12
TEG95TBK	8 Function, Matte Black + Stainless Steel	13
CERHE09PSS-2	8 Function, Stainless Steel	13

Dimensions (W x H x D)

 $\begin{array}{ll} \text{Product} & 900 \times 900^* \times 600 \text{mm} \\ \text{Cut-out} & 902 \times 900^* \times 600 \text{mm} \end{array}$


Note: Cooktop burners / zone positioning for each model listed above are different. Please see each individual image for actual cooktop burner / zone positioning.

^{*} Plus levelling feet (10mm minimum)

^{*} Plus levelling feet (10mm minimum) (for optional shelf installation)

^{*} Plus levelling feet (10mm minimum)

30cm Gas Models




Model		Page
H320SXFFPRO-2	2 Burner, Stainless Steel	15

Dimensions (W x H x D)

Product 300 x 52 x 510mm Cut-out 288 x 40 x 495mm

60cm Gas Models




Model	
4 Burner, Stainless Steel	15
4 Burner, Stainless Steel	15
4 Burner, Black Glass + Stainless Steel	15
	4 Burner, Stainless Steel

Dimensions (W x H x D)

Product 590* / 580** x NA x 500* / 510**mm Cut-out 553* / 560** x NA x 473* / 490**mm


90cm Gas Models



Model		Page
TGC9GLWFSS*	5 Burner, Stainless Steel	16
TGC9GLWBGFS*	5 Burner, Black Glass + Stainless Steel	16
H950STXFPRO**	5 Burner, Stainless Steel	16
H950SLTXFPRO**	5 Burner, Stainless Steel	17

Dimensions (W x H x D)

Product 855*/860** x 60*/52** x 522*/510**mm Cut-out 730*/733** x 40*/40** x 490*/492**mm




H950STBGFPRO	5 Burner, Black Glass	17
Dimensions (W x F	l x D)	
Product	860 x 52 x 500mm	
Cut-out	760 x 40 x 445mm	

Note: Cooktop burners and controls for each model listed above are different. Please see each individual image for actual cooktop burner and control positioning.

Model

Page

30cm Ceramic Models




Model		Page
2RSS-5	2 Zone, Premium Schott-Ceran Glass	18

Dimensions (W x H x D)

Product $290 \times 50 \times 520$ mm Cut-out $270 \times 46 \times 495$ mm

60cm Ceramic Models




Model		Page
CFM641-5*	4 Zone, Glass	18
CFE641-5*	4 Zone + 1 Extendable Zone, Glass	18
TGC6IND-5**	4 Zone + 1 Extendable Zone, Glass	19
Dimensions (W x	H x D)	

590* / 590** x 50* / 58** x 520* / 520**mm 565* / 565** x 46* / 54** x 495* / 495**mm

90cm Ceramic Models

Product


Cut-out



Model		Page ———
95HTSS-5* TGC9IND-5**	5 Zone + 2 Extendable Zone, Glass 6 Zone + 2 Flexi-Zone + 1 Extra Large Zone	19 19
Dimensions (W x H	x D)	
Product Cut-out	900* / 900** x 50* / 58** x 520* / 520**mm 865* / 860** x 46* / 54** x 495* / 495**mm	

Note: Cooktop zone positioning and controls for each model listed above are different. Please see each individual image for actual cooktop zone and control positioning.

60cm Slideout Models



Rangehood Street Stree	Bustroll Connection		
	599	155 283	

Model		Page
SL10160I-4	Slideout, Stainless Steel	23
SL2026ISS-3	Slideout, Stainless Steel	23

Model		Page
SREC0160I-2	Recirculating Slideout, Stainless Steel	23

Dimensions (W x H x D)


Product 598 x 183 x 282mm Cut-out 600 x 185 x 304mm

Dimensions (W x H x D)

 Product
 598 x 183 x 283mm

 Cut-out
 600 x 183 x 301mm

90cm Slideout Models



Rangehood Cooking surface Recommended Clearances	283 Electrical Contraction	20	145 145
	099	185	283

Model		Page
SL10190ISS-4	Slideout, Stainless Steel	24
SL10290ISS-3	Slideout, Stainless Steel	24

Model		Page
SREC0190SS-2	Recirculating Slideout, Stainless Steel	24

Dimensions (W x H x D)

Product 898 x 183 x 282mm Cut-out 900 x 183 x 304mm


Dimensions (W x H x D)


 Product
 898 x 183 x 300mm

 Cut-out
 900 x 183 x 300mm

RANGEHOODS

60cm Canopy Models





Model		Page
CHEM52C6S-5	Pyramid Canopy, Stainless Steel	25


Model		
FHEE22A6S-5	Deluxe Canopy, Glass + Stainless Steel	25

Dimensions (W x H x D)

Product 600 x 1210 x 480mm Cut-out 600 x NA x 480mm



Product 600 x 1016.5 x 485mm Cut-out 600 x NA x 485mm




Model		Page
BG96A6-5	Curved Canopy, Glass + Stainless Steel	25

Dimensions (W x H x D)

 $\begin{array}{ll} \text{Product} & 600 \times 1002 \times 480 \text{mm} \\ \text{Cut-out} & 600 \times \text{NA} \times 480 \text{mm} \end{array}$

90cm Canopy Models



Model		Page
CHEM52C9S-5	Pyramid Canopy, Stainless Steel	26
CHEM52TLX	Pyramid Canopy, Stainless Steel	26

Model Page CHEM52C9CL-5 Short Flue Pyramid Canopy, Stainless Steel 26


900 x 920 x 480mm

900 x NA x 480mm

Dimensions (W x H x D)

 Product
 900 x 1210 x 480mm


 Cut-out
 900 x NA x 480mm



Model	Page	
FHEE22A9S-5*	Canopy, Stainless Steel	27
FHEE26A9S-5**	Canopy, Stainless Steel + Glass Top	27

Dimensions (W x H x D)

Product 900* / 900** x 1016.5* / 997** x 480* / 480**mm Cut-out 900* / 900** x NA* / NA** x 480* / 480** mm



Model		
FHEE229SC9S-5*	Deluxe Canopy, Stainless Steel + Glass	27
ICF9BLS**	Flat Island Canopy, Stainless Steel + Glass	28

Dimensions (W x H x D)

Dimensions (W x H x D)


Product

Cut-out

Product 900 x 1016.5 x 485mm Cut-out 900 x NA x 485 mm

RANGEHOODS

90cm Canopy Models




Model		Page
FHEE91A9S-5	Deluxe Curved, Stainless Steel + Glass	28

Dimensions (W x H x D)

 Product
 900 x 1015 x 480mm

 Cut-out
 900 x NA x 480mm

120cm BBQ Models




Model		
TAR1200S	Alfresco BBQ, Stainless Steel	28

Dimensions (W x H x D)

Product 1195 x 970 x 800mm Cut-out 1195 x NA x 800mm


28L Models




Model		Page
WD905-2	Stainless Steel	30
BD28MBK	Black Stainless Steel	30

Dimensions (W x H x D)


Product 595 x 388 x 400mm Cut-out 600 x 390 x 540mm



Ventilation: Option 2 140mm x cabinet width vented down into kick panel space




Ventilation: Option 3 (for tower installation) 45mm x cabinet width vented to top of cabinetry / into roof cavity.




DISHWASHERS

55cm Compact Models



Model		Page
TEBTDWS-5	Compact, Stainless Steel	32
Dimensions (W x	H x D)	
Product Cut-out	550 x 438 x 500mm 552 x 440 x 500mm	


60cm Freestanding Models



Model		Page
TDX6SS-6	Freestanding, Stainless Steel	32
TDX7SS-6	Freestanding, Stainless Steel	32
Dimensions (V	√ x H x D)	
Product	598 x 845 x 600mm	
Cut-out	600 x 850 - 870 x 600mm	


DISHWASHERS

45cm Integrated Models




Model		Page
TDX4INT-5	Integrated, Stainless Steel	33
Dimensions (W	x H x D)	
Product	448 x 815 x 558mm	
Cut-out	450 x 817 - 875 x 580mm	

60cm Integrated Models




Model		Page
TDX8SS-6 Integrated, Stainless Steel		33
Dimensions (W	/ x H x D)	
Product Cut-out	598 x 815 x 550mm 600 x 820 x 580mm	


Washing Machines



Model		Page
TFL7W	Front Loading Washing Machine, White	35
Dimensions (V	√ x H x D)	
Product	600 x 840 x 590mm	

Dryers





Model		Page	Model		Page
TFL7W	Front Loading Condenser Dryer, White	35	TVD7U	7kg Vented Dryer, White	35
Dimensions (W x H x D)			Dimensions (V	V x H x D)	
Product	597 x 846 x 568mm		Product	595 x 840 x 550mm	

WARRANTY

Technika constantly seeks ways to improve the specifications and design of its products. Whilst every effort is made to produce up to date literature, this brochure should not be regarded as an infallible guide. Actual product only should be used to derive cut-out sizes.

Installation warning

Incorrect installation of any product will void all warranty.

Note

All dimensions on these pages are in millimetres and the illustrations are intended as a guide only. Complete instructions are enclosed with the appliance or can be obtained by contact the customer care centre on toll free 1800 444 357 or by email: commercialcare.ha@glendimplex.com.au

All rangehoods are supplied with a complete mounting kit, easy to follow instructions, and can be plugged into a standard power point.

All rangehoods must be installed in accordance with local building regulations. For optimum performance Technika recommends that rangehoods be installed between 650mm and 750mm above the highest point of the cooking surface. The rangehood must not be any lower than 600mm from the highest point of the cooking surface as per AS/NZS 5601.

Product support and service

Technika has an extensive national service network. Please contact out national customer care toll free on 1800 444 357 (press 4 for commercial customer care) or by emailing commercialcare.ha@glendimplex.com.au for any enquiries.

Caution

All ovens have been tested and approved to the relevant Australian Standards. Where the oven is built in or close to a cabinet, the cabinet material must be capable of withstanding 75 degrees °C. Technika will not accept responsibility for incorrect installation into low temperature tolerant cabinets. Please contact Technika's national customer care line for installation details toll free 1800 444 357 or by email: commercialcare.ha@glendimplex.com.au

Warranty

All Technika appliances carry a 3 year parts and labour warranty, excluding consumables i.e globes.

Natural gas regulators are provided with all gas appliances as per the Australian Standard requirement and carry a 12 month warranty only.

All appliances that incorporate electronic components (i.e. programmable clocks and electronic switching) should be fitted with a surge protection device to guard against damage which can be caused by power fluctuations or surges.

This warranty does not cover damage caused by such events.

For more information on all **TECHNIKA** appliances, or for dimension and installation information, phone or email our customer care team or visit out website:

technika.com.au

HEAD OFFICE

8 Lakeview Drive, Scoresby VIC 3179

THE KITCHEN APPLIANCE SHOWROOM

1/239 Ferntree Gully Road, Mount Waverly VIC 3149

1800 444 357 commercialcare.ha@glendimplex.com.au www.glendimplex.com.au

We reserve the right to make changes to specifications and dimensions without notice. Technika is imported and serviced by Glen Dimplex Australia who reserve the right to adjust and modify products in this brochure without prior notification. Some images in this brochure may be indicative. Please refer to individual product user manuals for full installation details.

